



Preparing a Patient for a time critical one-way transfer by the referring hospital team (Embrace)

Reference:	1584v2
Written by:	S Hancock
Peer reviewer:	H Talbot
Approved:	June 2013
Embrace Review Due:	June 2018
CAEC Review Due:	June 2019

Purpose

This guideline is a checklist to aid and facilitate safe and effective one-way transfer by a referring hospital team.

Intended Audience

All healthcare professionals in Yorkshire and Humber who may be involved in the one-way transfer of a paediatric or neonatal patient.

S Hancock, Paediatric Clinical Lead, Embrace

Peer Reviewer: H Talbot

Embrace Review date: June 2017

CAEC Review Date: June 2019

© SC(NHS)FT 2015..

Page 1 of 5

Preparing a patient for a time critical one-way transfer by the referring hospital team

Table of Contents

1. Introduction
2. Intended Audience
3. Guideline Content
4. References

1. Introduction

The transport medicine environment is challenging particularly for time critical transfers. For transfer to occur safely your patient may need interventions that would not be performed if the patient remained in your hospital. To minimise the time needed to prepare the patient for transport, please consider the following check list.

Remember to always involve Embrace from the time of seeking specialist advice in order to facilitate the most efficient and appropriate transfer for your patient.

2. Intended Audience

All healthcare professionals in Yorkshire and Humber who may be involved in a time critical one-way transfer of a paediatric or neonatal patient.

3. Guideline Content

See Appendix 1, 2 & 3

4. References

Appendix 1



Preparing a patient for a time critical one-way transfer by the referring hospital team

The transport medicine environment is challenging particularly for time critical transfers. For transfer to occur safely your patient may need interventions that would not be performed if the patient remained in your hospital. To minimise the time needed to prepare the patient for transport, please consider the following check list.

Remember to always involve Embrace from the time of seeking specialist advice in order to facilitate the most efficient and appropriate transfer for your patient.

(*as appropriate)

Documentation and communication

- Update the parents on the child's condition and the plans for transfer
- Photocopies of recent relevant notes, recent investigation results, drug chart*
- Highlight/document any safeguarding concerns*
- Transfer radiology by PACS (CD or hard copy are alternatives)
- Maternal blood sample (6m EDTA) - fully labelled with request form (babies under 3months) *
 - First name
 - Last name
 - Date of birth
 - NHS number
 - Date & time of sample
 - Name and signature of person taking sample

Patient preparation

- ETT secured and position confirmed on CXR (T2 ideal for transfer)
- On transport ventilator with continuous ET_{CO}2 monitoring
- Recent blood gas demonstrates adequate gas exchange and normal blood glucose
- Adequate analgesia, sedation and muscle relaxation*
- Gastric tube*
- Minimum 2 points of IV access and well secured
- Maintenance fluids and all other infusions fully labelled
- Pupillary responses monitored and recorded regularly
- Seizures controlled and metabolic causes excluded
- Maintain temperature above 36.5 °C (unless therapeutically cooled)
- Adequate patient monitoring for transport – ECG, BP, SaO₂, ET_{CO}2, Temp
- Patient and equipment adequately secured for transport
- Ensure emergency airway, breathing equipment and adequate gases available
- Ensure emergency fluids and drugs are available for transport

For further information or assistance please call Embrace to speak directly to a Transport Consultant
0845 147 2472

Preparing a patient for a time critical one-way transfer by the referring hospital team

Appendix 2

Basic equipment needed for 'Time Critical' transfer of children

Transport trolley (adult intensive care transport trolley is ideal)

Age/weight appropriate child restraint device e.g. Paraid ACR

Transport ventilator* e.g. BabyPac, VentiPac, Oxylog, Hamilton T1

Transport monitor* – ETCO2, NIBP, IBP, ECG, Sats, Temp

Infusion pumps*

'Grab bag' – appropriate drugs and equipment for time critical transfer should be immediately available and checked according to local policy

Resource file - drug chart, observation charts, guidelines etc

Always complete a pre-departure checklist - available from www.embrace.sch.nhs.uk

Always ring the destination unit before departure

*ensure all equipment is safely secured to the trolley or incubator

Preparing a patient for a time critical one-way transfer by the referring hospital team

Appendix 3

Basic equipment needed for 'Time Critical' transfer of neonates and infants weighing less than 5kg

Transport incubator

OR

Transport trolley and BabyPod with gel warming mattress

Age/weight appropriate restraint device e.g. BabyPod straps, Paraid NeoRestraint

Transport ventilator* e.g. BabyPac, Hamilton T1

Transport monitor* – ETCO₂, NIBP, IBP, ECG, Sats, Temp

Infusion pumps*

'Grab bag' – appropriate drugs and equipment for time critical transfer should be immediately available and checked according to local policy

Resource file- drug chart, observation charts, guidelines etc

Always complete a pre-departure checklist - available from www.embrace.sch.nhs.uk

Always ring the destination unit before departure

*ensure all equipment is safely secured to the trolley or incubator